

Avista Corp.
1411 East Mission PO Box 3727
Spokane, Washington 99220-3727
Telephone 509-489-0500
Toll Free 800-727-9170

RECEIVED



Corp.

2010 JAN 21 AM 8:15

IDAHO PUBLIC
UTILITIES COMMISSION

January 19, 2010

Ms. Jean D. Jewell
Commission Secretary
Idaho Public Utilities Commission
PO Box 83720
Boise, ID 83720-0074

Re: *Annual Compliance Filing of Asset Retirement Obligation (SFAS 143)*
Case Nos. AVU-E-05-09 & AVU-G-05-03

Dear Ms. Jewell:

In Order No. 29962, the Commission directed the Company to record regulatory assets or liabilities associated with the implementation of Statement of Financial Accounting Standards (SFAS) 143. As a result of the Order, the Company is required to file annually, and as part of any rate case filing, all journal entries made under the requirements of SFAS 143.

Enclosed, please find three copies of the 2008 SFAS 143 annual compliance filing.

Please direct any questions regarding this filing to Liz Andrews at (509) 495-8601.

Sincerely,

A handwritten signature in cursive script that reads 'Kelly Norwood'.

Kelly Norwood
Vice President, State and Federal Regulation

Enclosure

LA

RECEIVED

Avista Utilities
 FAS 143 Accounting - Asset Retirement Obligations
 Year Ended December 31, 2009

2010 JAN 21 AM 8:15

IDAHO PUBLIC
 UTILITIES COMMISSION

	FERC Account	Dr.	Cr.
<u>December 31, 2008 Balances</u>			
ARO Assets	101000	1,418,345	
Accumulated Depreciation	108000		545,297
Regulatory Assets	182376	3,335,279	
ARO Liabilities	230000		4,208,327

Recorded Journal Entries

Calendar Year 2009 Accretion, Depreciation and Removal Costs Entries

1	Regulatory Assets	182376	(236,874)	
	ARO Liabilities	230000		(236,874)
	To record accretion expense, net of removal costs, on AROs.			
2	Regulatory Assets	182376	31,841	
	Accumulated Depreciation	108000		31,841
	To record depreciation on the ARO assets.			

Calendar Year 2009 Other Changes

3	ARO Assets	101000		
	Accumulated Depreciation	108000		
	Regulatory Assets	182376		
	ARO Liabilities	230000		

December 31, 2009 Balances

ARO Assets	101000	1,418,345	
Accumulated Depreciation	108000		577,138
Regulatory Assets	182376	3,130,246	
ARO Liabilities	230000		3,971,453