



RECEIVED
2013 May 15 PM 4:09
IDAHO PUBLIC
UTILITIES COMMISSION

201 South Main, Suite 2300
Salt Lake City, Utah 84111

May 15, 2013

VIA ELECTRONIC FILING

Jean D. Jewell
Commission Secretary
Idaho Public Utilities Commission
472 W. Washington
Boise, ID 83702

**Re: CASE NO. GNR-E-12-01
IN THE MATTER OF THE COMMISSION'S INQUIRY INTO THE COST-
EFFECTIVENESS AND FUNDING OF LOW INCOME WEATHERIZATION
PROGRAMS FOR ELECTRIC UTILITIES**

Dear Ms. Jewell:

Please find Rocky Mountain Power's Electric Service Schedule No. 21 Sheet No. 3, which has been revised pursuant to Order 32788 to include the \$25,000 annual funding level for the low income conservation education program.

Informal inquiries may be directed to Ted Weston, Idaho Regulatory Manager at (801) 220-2963.

Very truly yours,

Jeffrey K. Larsen
Vice President, Regulation & Government Affairs

Enclosures

I.P.U.C. No. 1

Third Revision of Sheet No. 21.3
 Canceling Second Revision of Sheet No. 21.3

ELECTRIC SERVICE SCHEDULE NO. 21 - Continued

B. Financial Assistance (Continued):

2. The Company will reimburse Agency for administrative costs based on 15% of Rocky Mountain Power's rebate on installed measures, not to exceed the following total administrative payment per building:

Dwelling Units in Building	Maximum Administrative Payment
1 to 4	\$350
5 to 10	\$800
11 to 15	\$1200
16 to 20	\$1400
21 to 25	\$1600
26 to 30	\$1800
31+	\$2100

The minimum reimbursement will be \$150 on homes with one or more Major Measure installed and \$50 on homes without the installation of a Major Measure.

3. Agencies must invoice Company within 120 days of job completion.
4. A maximum of \$300,000 in Company reimbursements will be available annually (April 1 through March 31). Reimbursements related to health and safety measures are limited to 15% of the annual cost of total jobs performed by each agency.
5. Annual funding of \$25,000 in total will be provided to Eastern Idaho Community Action Partnership and SouthEastern Idaho Community Action Agency for conservation education.

C. Energy Conservation Measures:

Financial assistance will be provided based on the results of a cost effective analysis through a Department of Energy approved energy audit. The energy efficient measures eligible for funding must be installed in dwellings with permanently installed operable electric space heat except where noted. All Major and Supplemental Measures indicated below may qualify for a company reimbursement when audit results indicate a measure has a Savings to Investment Ratio of 1.0 or greater. The energy efficient measures that may be eligible for funding are listed as follows:

Major Measures – Electric Heating System Required:

1. Ceiling insulation up to R-48 for ceilings with less than R-30 in place. R-30 or better attics will not be further insulated.

(Continued)

Submitted Under Case No. GNR-E-12-01

ISSUED: May 15, 2013

EFFECTIVE: June 1, 2013

ELECTRIC SERVICE SCHEDULE NO. 21 - Continued

B. Financial Assistance (Continued):

2. The Company will reimburse Agency for administrative costs based on 15% of Rocky Mountain Power's rebate on installed measures, not to exceed the following total administrative payment per building:

Dwelling Units in Building	Maximum Administrative Payment
1 to 4	\$350
5 to 10	\$800
11 to 15	\$1200
16 to 20	\$1400
21 to 25	\$1600
26 to 30	\$1800
31+	\$2100

The minimum reimbursement will be \$150 on homes with one or more Major Measure installed and \$50 on homes without the installation of a Major Measure.

3. Agencies must invoice Company within 120 days of job completion.

4. A maximum of \$300,000 in Company reimbursements will be available annually (April 1 through March 31). Reimbursements related to health and safety measures are limited to 15% of the annual cost of total jobs performed by each agency.

- 4.5. Annual funding of \$25,000 in total will be provided to Eastern Idaho Community Action Partnership and SouthEastern Idaho Community Action Agency for conservation education.

C. Energy Conservation Measures:

Financial assistance will be provided based on the results of a cost effective analysis through a Department of Energy approved energy audit. The energy efficient measures eligible for funding must be installed in dwellings with permanently installed operable electric space heat except where noted. All Major and Supplemental Measures indicated below may qualify for a company reimbursement when audit results indicate a measure has a Savings to Investment Ratio of 1.0 or greater. The energy efficient measures that may be eligible for funding are listed as follows:

Major Measures – Electric Heating System Required:

1. Ceiling insulation up to R-48 for ceilings with less than R-30 in place. R-30 or better attics will not be further insulated.

(Continued)